



Mercury 75 HP Sea Pro Fourstroke

POA

Specifications

Boat Details

Price	POA	Boat Brand	Mercury
Model	75 HP Sea Pro Fourstroke	Length	0.00 Feet
Year	2020	Category	Boat Engines and Outboards
Hull Style	Other	Hull Type	Other
Power Type	Other	Engine Make	Mercury
Stock Number		Condition	New
State	NZ	Suburb	Auckland

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

Description

Mercury Seapro 75HP Fourstroke - These commercial outboards are designed to work as hard as you do...engineered to be ultra tough working partners for anyone making their living on the water. Every SeaPro features unique components to cope with the additional demands of professional operation. Whatever your job there's a specific FourStroke or TwoStroke Mercury SeaPro model that's up to the task.

HP / kW

75 / 56

Engine type

8-valve single overhead cam (SOHC)

Inline 4

Displacement (L)

2.1

Full throttle RPM

5000-5500

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

Air induction

Performance-Tuned Scroll Intake Manifold

Fuel induction system

Computer Controlled Multi-Port Electronic Fuel Injection (EFI)

Alternator amp / Watt

35 amp / 441 watt with water-cooled voltage regulator

Recommended fuel

Unleaded Regular 87 Octane Minimum (R+M/2) or 90 RON 10% Ethanol Maximum

Recommended oil

NMMA Certified FCW 25W-40 Synthetic Blend

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

Engine protection operator warning system

SmartCraft Engine Guardian

Compatible with SmartCraft digital technology

Yes

Starting

Smart Start Electric

Controls

Mechanical throttle & shift

Steering

Big Tiller

Dual Cable Mechanical

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

Hydraulic

Shaft length

20" / 508 mm

Gearcase ratio

2.38:1

Dry weight *Lightest model available

363 lbs / 165 kg

Bore and stroke

3.5 x 3.2" / 90 x 81 mm

Ignition

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

SmartCraft ECM 70 Digital Inductive

Fuel system

Electronic Fuel Injection (EFI)

Cooling system

Water-cooled with thermostat

Gear shift

F-N-R

Trim system

Power Tilt

Power Trim

Exhaust system

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

Through prop

Shallow water trim range (degrees)

20

Color

Phantom Black

Lubrication system

Integrated Dry Sump

Oil Capacity

5.5 qts / 5.2l

Maximum Trim Range

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

22° (-6° to 16°)

Maximum Tilt Range

70° (-6° to 64°)

Engine Details

Engine Make

Mercury

Horse Power

75

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.