



Mercury 150 HP Fourstroke

POA

Specifications

Boat Details

Price	POA	Boat Brand	Mercury
Model	150 HP (Fourstroke)	Length	0.00 Feet
Year	2020	Category	Boat Engines and Outboards
Hull Style	Other	Hull Type	Other
Power Type	Other	Engine Make	Mercury
Stock Number		Condition	New
State	NZ	Suburb	Auckland

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

Description

Mercury 150 HP Fourstroke - The innovation behind this 150hp FourStroke has come directly from you, our customer.

HP / kW

150 / 110

Engine type

8-valve single overhead cam (SOHC)

Inline 4

Displacement (L)

3.0

Full throttle RPM

5000-5800

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

Air induction

Performance-Tuned Scroll Intake Manifold

Fuel induction system

Computer Controlled Multi-Port Electronic Fuel Injection (EFI)

Alternator amp / Watt

60 amp / 756 watt (Belt-Driven)

Recommended fuel

Unleaded 91 RON Minimum

Recommended oil

Mercury FourStroke Oil 10W-30

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

Engine protection operator warning system

SmartCraft Engine Guardian

Compatible with SmartCraft digital technology

Yes

Starting

Electric (turn-key)

Smart Start Electric

Controls

Mechanical throttle & shift

Steering

Big Tiller Compatible

Dual Cable Mechanical

Electro-Hydraulic Power Steering Optional on Duals

Hydraulic power steering

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

Shaft length

20" / 508 mm

25" / 635 mm

Gearcase ratio

1.92:1

Dry weight *Lightest model available

455 lbs / 206 kg

Emissions Star Rating

3

Bore and stroke

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

4.0 x 3.6" / 102 x 92 mm

Ignition

SmartCraft ECM 70 Digital Inductive

Fuel system

Electronic Fuel Injection (EFI)

Cooling system

Water-cooled with thermostat

Gear shift

F-N-R

Gearcase options

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

Standard

Trim system

Power Tilt

Power Trim

Exhaust system

Through prop

Counter rotation

Available

Color

Phantom Black

Lubrication system

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

Integrated Dry Sump

Oil Capacity

6.3 qts / 6.0l

Maximum Trim Range

22°; (-6° to 16°)

Maximum Tilt Range

73°; (-6° to 67°)

Engine Details

Engine Make

Mercury

Horse Power

150

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.